

EU-KONFORMITÄTSERKLÄRUNG Nr. 48-01-05-2021

EU DECLARATION OF CONFORMITY No.

Wir / We **Berker GmbH & Co. KG**
Zum Gunterstal
66440 BLIESKASTEL - GERMANY

bestätigen, dass das (die) Produkt(e) / declare that the product(s)

Bezeichnung / Designation

flush-mounted system, International Socket Outlet Systems, with pin earthing contact, 16 A / AC 250 V

Bestell-Nummer(n) / Type reference(s)

see page 2

Handelsmarke / Trademark

Berker

die einschlägigen Harmonisierungsrechtsvorschriften der Union erfüllt (erfüllen):

is (are) in conformity with the relevant Union harmonization legislation:

- Richtlinie zur Beschränkung der Verwendung bestimmter gefährlicher Stoffe Nr. 2011/65/EU geändert durch (EU) 2015/863 - Directive on the Restriction of the use of certain Hazardous Substances (RoHS) N° 2011/65/EU amended by N° (EU) 2015/863

.....

.....

.....

.....

Norm(en) und / oder das (die) maßgebliche(n) Dokument(e) / Standard(s) and/or relevant document(s)

Norm Nr. + Berichtigung Nr. mit jeweils Ausgabe-Datum / Standard number + relevant amendments together with the edition dates

EN IEC 63000: 2018

The products below have to be used with defined accessories according to the standards (Frames, rockers, etc.)
Please have a look to the Berker-catalogue or contact the Berker service-center for more Informations.

Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Aussteller / Name of signatory

Dirk Materlik

Funktion des Unterzeichners / Function of signatory

Product Engineering Manager - Schalksmühle

Ort und Datum / Place and date

Schalksmühle, 28.05.2021

Unterschrift / Signature



EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. 48-01-05-2021

Produkt Bestell-Nummern

Type references

Catalogue No.	Product	Description	Terminals	Rating
101000	Centre plate for socket-outlets with pin earthing contact (Earth Pin), Supplementary Product	Sealing set for IP 44 protection for all ARSYS IP 44 devices		
531884	Centre plate for socket-outlets with pin earthing contact (Earth Pin), Supplementary product	sealing flange for IP 44 protection for all flush-mounted splash-protected IP 44 devices		
676579	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection, mounting-orientation of insert selectable in 45° steps	Screw-type	16 A / AC 250 V
676879	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection, mounting-orientation of insert selectable in 45° steps	Screwless	16 A / AC 250 V
10107200	Centre plate for socket-outlets with pin earthing contact (Earth Pin), Supplementary Product	Sealing set for IP 44 protection for socket-outlets/centre plates		
10107600	Centre plate for socket-outlets with pin earthing contact (Earth Pin), Supplementary product	sealing set for socket-outlets/centre plates		
10108901	Centre plate for socket-outlets with pin earthing contact (Earth Pin), Supplementary Product	Sealing set with flange for all S.1/B.Kwadrat IP 44 devices, 1gang		
10108902	Centre plate for socket-outlets with pin earthing contact (Earth Pin), Supplementary Product	Sealing set with flange for all S.1/B.Kwadrat IP 44 devices, 2gang		
10108903	Centre plate for socket-outlets with pin earthing contact (Earth Pin), Supplementary Product	Sealing set with flange for all S.1/B.Kwadrat IP 44 devices, 3gang		
53420409	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover	Screw-type	16 A / AC 250 V
67637910	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection	Screw-type	16 A / AC 250 V
67657901	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection, mounting-orientation of insert selectable in 45° steps	Screw-type	16 A / AC 250 V
67687901	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection, mounting-orientation of insert selectable in 45° steps	Screwless	16 A / AC 250 V
3963808994	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	./.		
3963808996	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	./.		
3965477103	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	self-closing hinged cover and enhanced contact protection		
3965477104	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	self-closing hinged cover and enhanced contact protection		
3965477106	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	self-closing hinged cover and enhanced contact protection		
3965477109	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	self-closing hinged cover and enhanced contact protection		
3965740001	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	enhanced contact protection		
3965740004	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	enhanced contact protection		
3965740007	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	enhanced contact protection		
3965750001	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	enhanced contact protection		
3965750002	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	enhanced contact protection		
3965750062	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	enhanced contact protection		
3965750063	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	enhanced contact protection		
3965750069	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	enhanced contact protection		
3965771404	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	self-closing hinged cover		

EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. 48-01-05-2021

Produkt Bestell-Nummern

Type references

3965771606	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	self-closing hinged cover		
3965771909	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	self-closing hinged cover		
3965778982	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	self-closing hinged cover		
3965778989	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	self-closing hinged cover		
3965836084	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	hinged cover and enhanced contact protection		
3965836086	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	hinged cover and enhanced contact protection		
3965836089	Centre plate for socket-outlets with pin earthing contact (Earth Pin)	hinged cover and enhanced contact protection		
5363808982	Two-pole socket-outlet with pin earthing contact (Earth Pin)	./.	Screw-type	16 A / AC 250 V
5363808984	Two-pole socket-outlet with pin earthing contact (Earth Pin)	./.	Screw-type	16 A / AC 250 V
5363808985	Two-pole socket-outlet with pin earthing contact (Earth Pin)	./.	Screw-type	16 A / AC 250 V
5363808986	Two-pole socket-outlet with pin earthing contact (Earth Pin)	./.	Screw-type	16 A / AC 250 V
5363808989	Two-pole socket-outlet with pin earthing contact (Earth Pin)	./.	Screw-type	16 A / AC 250 V
5365768982	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection	Screw-type	16 A / AC 250 V
5365768984	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection	Screw-type	16 A / AC 250 V
5365768986	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection	Screw-type	16 A / AC 250 V
5365768989	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection	Screw-type	16 A / AC 250 V
5365836079	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
5365838982	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
5365838984	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
5365838986	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
5365838989	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
5365898982	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover	Screw-type	16 A / AC 250 V
5365898984	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover	Screw-type	16 A / AC 250 V
5365898986	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover	Screw-type	16 A / AC 250 V
5365898989	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover	Screw-type	16 A / AC 250 V
6765111404	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, lock, enhanced contact protection	Screw-type	16 A / AC 250 V
6765111606	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, lock, enhanced contact protection	Screw-type	16 A / AC 250 V
6765111909	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, lock, enhanced contact protection	Screw-type	16 A / AC 250 V
6765116082	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screw-type	16 A / AC 250 V
6765116084	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screw-type	16 A / AC 250 V
6765116086	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screw-type	16 A / AC 250 V
6765116089	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screw-type	16 A / AC 250 V
6765117001	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screw-type	16 A / AC 250 V
6765117003	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screw-type	16 A / AC 250 V

EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. 48-01-05-2021

Produkt Bestell-Nummern

Type references

6765768982	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection	Screw-type	16 A / AC 250 V
6765768989	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection	Screw-type	16 A / AC 250 V
6765771404	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover	Screw-type	16 A / AC 250 V
6765771606	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover	Screw-type	16 A / AC 250 V
6765771909	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover	Screw-type	16 A / AC 250 V
6765777101	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6765777103	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6765777104	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6765777106	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6765777109	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6765778982	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover	Screw-type	16 A / AC 250 V
6765778989	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover	Screw-type	16 A / AC 250 V
6765792045	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection, mounting-orientation of insert selectable in 45° steps	Screw-type	16 A / AC 250 V
6765792089	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection, mounting-orientation of insert selectable in 45° steps	Screw-type	16 A / AC 250 V
6765832045	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6765832089	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6765836082	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6765836084	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6765836086	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6765836089	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screw-type	16 A / AC 250 V
6768111404	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768111606	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768111909	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768116082	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768116084	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768116086	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768116089	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768117001	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768117003	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768117004	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768117006	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768117009	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V
6768118982	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, lock, enhanced contact protection	Screwless	16 A / AC 250 V

EU-KONFORMITÄTSERKLÄRUNG

EU DECLARATION OF CONFORMITY

Nr. 48-01-05-2021

Produkt Bestell-Nummern

Type references

6768776082	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screwless	16 A / AC 250 V
6768776084	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screwless	16 A / AC 250 V
6768776086	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screwless	16 A / AC 250 V
6768776089	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screwless	16 A / AC 250 V
6768777101	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screwless	16 A / AC 250 V
6768777103	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screwless	16 A / AC 250 V
6768777104	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screwless	16 A / AC 250 V
6768777106	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screwless	16 A / AC 250 V
6768777109	Two-pole socket-outlet with pin earthing contact (Earth Pin)	hinged cover, enhanced contact protection	Screwless	16 A / AC 250 V
6768778982	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover	Screwless	16 A / AC 250 V
6768778989	Two-pole socket-outlet with pin earthing contact (Earth Pin)	self-closing hinged cover	Screwless	16 A / AC 250 V
6768792045	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection, mounting-orientation of insert selectable in 45° steps	Screwless	16 A / AC 250 V
6768792089	Two-pole socket-outlet with pin earthing contact (Earth Pin)	enhanced contact protection, mounting-orientation of insert selectable in 45° steps	Screwless	16 A / AC 250 V

EU-KONFORMITÄTSERKLÄRUNG / EU DECLARATION OF CONFORMITY

Nr. 48-01-05-2021

Nachweis(e) / Evidence(s)

Die unten genannten Dokumente wurden benutzt um die Konformität zu den Kern-Anforderungen der relevanten Richtlinien zu erstellen

Documents listed below have been used in order to establish the conformity to the essential requirements of the relevant directives

Evidences approved by : Address:	Engineering / Laboratory Schalksmuehle
Only harmonized standard(s) publish on the OJEU (Official journal of European union: https://ec.europa.eu/growth/single-market/european-standards/harmonised-standards_en) are used: Scope and classification fully covers the product (case 1 of Hager Group risk analysis) : Comments :	Yes Yes
Hager Group risk analysis: (Only if there is at least one "No", then you have to explain how you cover the essential requirements of the European Directive and fill the document <u>DMS034433</u> - Hager Group risk analysis)	
Certificate(s) / test report(s):	CB DE1-63419-1 , DMS045428 – version 4
Mark approval(s):	
Product documentation :	
Comments:	